



Saskatchewan  
Agriculture  
and Food

# Crop Report

Published by Saskatchewan Agriculture and Food

ISSN 0701 7065

Report Number 26, September 25, 2006

## Crop Report for September 24, 2006

Saskatchewan farmers have harvested 92 per cent of the 2006 crop, up from last's week's total of 91 per cent, according to Saskatchewan Agriculture and Food's weekly crop report.

Last year, at this time, only 53 per cent of the crop had been harvested. The five-year average (2001-2005) is 63 per cent harvested.

Very little harvesting progress was made during the past week, due to wet crops from the previous week's rainfall. Additional rain fell this week in some areas. The

southeast, southwest, and northwest regional totals increased from last week; the other regional totals remained the same as last week.

Weathering, flooding, and frost were the main sources of crop damage during the past week. In addition, migratory waterfowl resulted in some crop damage. Crop reporters also raised concerns with sprouting and bleaching of crops.

One-third of the province's pastures were reported in good to excellent condition, which is an improvement from the end of August.

Availability of livestock water was rated as adequate by 86 per cent of reporters, lower than the end of August. Some reporters in the southern part of the province indicated that sloughs and dugouts are low or empty.

For further information contact:  
Terry Bedard, P.Ag.  
Agricultural Economist  
Policy Branch  
Saskatchewan Agriculture and Food  
306-787-5956  
e-mail: [policybranch@agr.gov.sk.ca](mailto:policybranch@agr.gov.sk.ca)

Available on the SAF Internet site at:  
[www.agr.gov.sk.ca](http://www.agr.gov.sk.ca)

**Please let us know if you no longer need to receive a printed copy.**

**Saskatchewan Harvest Progress at September 24, 2006**  
% In Swath or Ready to Str.Cmb.

|              | 2006     | 2005      | Average<br>2001-05 | 2006      | 2005      | Combined<br>Average<br>2001-05 |
|--------------|----------|-----------|--------------------|-----------|-----------|--------------------------------|
| Winter wheat | 0        | 4         | 4                  | 100       | 96        | 94                             |
| Spring wheat | 5        | 39        | 22                 | 94        | 39        | 60                             |
| Durum        | 2        | 23        | 14                 | 98        | 67        | 68                             |
| Oats         | 11       | 35        | 23                 | 86        | 36        | 52                             |
| Barley       | 6        | 33        | 20                 | 93        | 52        | 65                             |
| Fall rye     | 0        | 1         | 3                  | 100       | 90        | 88                             |
| Triticale    | 1        | 18        | 9                  | 99        | 53        | 65                             |
| Flax         | 21       | 28        | 18                 | 63        | 22        | 34                             |
| Canola       | 11       | 44        | 35                 | 89        | 52        | 58                             |
| Mustard      | 5        | 23        | 14                 | 94        | 70        | 74                             |
| Sunflowers   | 0        | 0         | 2                  | 4         | 1         | 2                              |
| Lentils      | 1        | 9         | 7                  | 99        | 86        | 84                             |
| Peas         | 1        | 8         | 5                  | 99        | 87        | 89                             |
| Canary seed  | 21       | 30        | 17                 | 72        | 28        | 42                             |
| Chickpeas    | 5        | 20        | 8                  | 92        | 43        | 42                             |
| <b>Total</b> | <b>7</b> | <b>32</b> | <b>24</b>          | <b>92</b> | <b>53</b> | <b>63</b>                      |

## 1 Year Ago

Fifty-three per cent of the 2005 crop had been harvested.

Harvest delays came from rain, dews, frosts, and high humidity.

Issues included lodging, sprouting, bleaching, staining, second growth, and soft fields.

Close to 70 per cent of the province's pastures were in good to excellent condition.



Agriculture and  
Agri-Food Canada

Agriculture et  
Agroalimentaire Canada



CANADA - SASKATCHEWAN

**Crop Insurance**

### South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

| South eastern harvesting progress |             |             |
|-----------------------------------|-------------|-------------|
|                                   | % this week | % last week |
| Winter wheat                      | 100         | 100         |
| Spring wheat                      | 98          | 98          |
| Durum                             | 98          | 95          |
| Oats                              | 94          | 93          |
| Barley                            | 99          | 99          |
| Fall rye                          | 100         | 100         |
| Triticale                         | 100         | 100         |
| Flax                              | 82          | 78          |
| Canola                            | 98          | 96          |
| Mustard                           | 99          | 99          |
| Sunflowers                        | 3           | 0           |
| Lentils                           | 100         | 100         |
| Peas                              | 100         | 100         |
| Canary seed                       | 88          | 88          |
| Chickpeas                         | 92          | 92          |
| Total                             | 96          | 94          |

The south eastern region had a cool, wet week with some frost. An average of 22 mm of precipitation was reported, with an average low of 15 mm reported in Crop District (CD) 3ase, and an average high of 26 mm reported in CD 1b. Over 50 mm was reported in the Moose Jaw area. Flooding and wind damage was reported in CD 1b and frost, wind, and rain damage was reported in CD 2. There was some downgrading of crops because of bleaching.

Ninety-six per cent of the 2006 south eastern crop has been combined and a further 3% is lying in the swath or is ready to be straight-combined. Some progress was made in harvesting durum, oats, flax, canola, and sunflowers this past week.

Topsoil moisture on crop land has improved with 38% of reporters

rating moisture conditions as adequate compared to 15% last week. On hay and pasture land, 28% of reporters rated topsoil moisture as adequate compared to 15% last week.

Pasture conditions in the southeast have improved very slightly since late August, with 11% of the reporters rating pastures as good to excellent, compared to 7% at the end of August. Over half of the reporters rate pastures as poor or very poor.

Two-thirds of the reporters rate water supplies as adequate, compared to 77% in late August. Ratings of inadequate water supplies are the highest in CDs 2a and 3ase. Farmers are hauling water for their stock.

Many farmers were happy to see the moisture, and feel more is needed to build up subsoil reserves.

Farmers were able to do some fall work, including spraying, fertilizing, baling straw, harrowing, hauling bales, burning flax straw, fixing fence, and hauling cattle home from summer pastures. There are concerns with deer getting into grain piles.

Canada thistle is a problem in the Weyburn area this year, and farmers are having trouble sourcing some types of herbicide. Fall-seeded crops are emerging well, and more was seeded with the recent moisture.

### South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

| South western harvesting progress |             |             |
|-----------------------------------|-------------|-------------|
|                                   | % this week | % last week |
| Winter wheat                      | 100         | 100         |
| Spring wheat                      | 99          | 97          |
| Durum                             | 98          | 97          |
| Oats                              | 96          | 96          |
| Barley                            | 97          | 97          |
| Fall rye                          | 100         | 100         |
| Triticale                         | 100         | 100         |
| Flax                              | 70          | 69          |
| Canola                            | 100         | 100         |
| Mustard                           | 98          | 98          |
| Sunflowers                        | 50          | 50          |
| Lentils                           | 100         | 100         |
| Peas                              | 100         | 100         |
| Canary seed                       | 88          | 88          |
| Chickpeas                         | 94          | 94          |
| Total                             | 98          | 97          |

The southwest had a cool and cloudy week, with snow reported in some areas at the beginning of the week. An average of 18 mm of precipitation was reported, ranging from an average low of 13 mm reported in CD 4b, to an average high of 23 mm reported in CD 4a. Almost 50 mm was reported in the Tompkins area. Damage from frost was reported in the Lisieux, Swift Current, and Lucky Lake areas. Wind damage was also reported in the Lucky Lake area. Several areas reported downgrading from bleaching and sprouting. The wind and rain also caused some lodging. The snow caused damage to trees in the Cadillac area. South of Ponteix, snow drifted three to four feet high.

Ninety-eight per cent of the 2006 south western crop has been harvested and a further 2% is lying in the swath or is ready to be straight-combined. Harvest progress was made in spring wheat, durum, and flax this past week.

Topsoil moisture conditions on crop land improved from last week, with 60% of reporters rating topsoil moisture as adequate, compared with 32% last week. Conditions also improved on hay and pasture land with 47% of reporters rating topsoil moisture as adequate, compared to 27% last week.

Most farmers welcomed the moisture, and feel more is needed to build up subsoil reserves.

Pasture conditions in the southwest are slightly better than they were in late August, with 12% of reporters rating pastures as good to excellent, compared to 6% at the end of August. Some livestock owners are feeding their stock, while others have some fall grazing.

Livestock water availability has deteriorated from late August. Sixty-nine per cent of reporters rate water supplies as adequate, compared to 81% in late August. Ratings of inadequate water supplies are the highest in CDs 3asw, 3bs, and 4a. Some livestock owners must haul water for their stock.

Crop damage came from gophers in the Mankota area, and ducks and geese in the Rush Lake area. The remaining crop is expected to be downgraded.

With the recent rain, some more fall crops were planted. Earlier seeded fall rye and winter wheat are emerging nicely.

Some fall work was done, including fixing machinery, hauling bales, and hauling grain.

#### East central Saskatchewan (Crop Districts 5 & 6a)

| East central harvesting progress |             |             |
|----------------------------------|-------------|-------------|
|                                  | % this week | % last week |
| Winter wheat                     | 100         | 100         |
| Spring wheat                     | 91          | 91          |
| Durum                            | 93          | 93          |
| Oats                             | 87          | 86          |
| Barley                           | 92          | 92          |
| Fall rye                         | 100         | 100         |
| Triticale                        | 100         | 100         |
| Flax                             | 47          | 44          |
| Canola                           | 86          | 84          |
| Mustard                          | 82          | 82          |
| Sunflowers                       | 22          | 22          |
| Lentils                          | 99          | 99          |
| Peas                             | 100         | 100         |
| Canary seed                      | 60          | 60          |
| Chickpeas                        | 90          | 80          |
| Total                            | 87          | 87          |

The east central region had a cool, wet week. An average of 17 mm of precipitation was reported during the past week, ranging from an average low of 12 mm reported in CD 5b, to an average high of 22 mm reported in CD 6a. Over 50 mm was reported in the Leroy area. Flooding and wind damage were reported in CDs 5b and 6a. Frost damage was reported in CDs 5a and 6a. Sprouting and bleaching caused downgrading.

The east central area remained at 87% harvested. Some harvest progress was made in oats, flax, canola, and chickpeas.

Topsoil moisture conditions on cropland improved this past week, with 67% of reporters rating topsoil moisture as adequate, compared with 54% last week. Conditions also improved on hay and pasture land

with 74% of reporters rating topsoil moisture as adequate compared to 56% last week. Some summerfallow fields have standing water in them and some swaths are lying in water.

Pasture conditions in the east central region are better than late August, with 35% of reporters rating pastures as good to excellent, compared to 22% at the end of August.

Livestock water availability continues to be adequate for all reporters.

Crop damage also came from migratory birds in CDs 5b and 6a.

Some field work was done this past week, including spraying, harrowing, hauling bales, cultivating, hauling grain, and banding fertilizer. Cattle were moved to stubble fields in some areas. Winter wheat crops were emerging. There were concerns of drowning in low areas of fall crops.

#### West central Saskatchewan (Crop Districts 6b & 7)

| West central harvesting progress |             |             |
|----------------------------------|-------------|-------------|
|                                  | % this week | % last week |
| Winter wheat                     | 100         | 100         |
| Spring wheat                     | 95          | 95          |
| Durum                            | 97          | 97          |
| Oats                             | 86          | 86          |
| Barley                           | 96          | 94          |
| Fall rye                         | 100         | 100         |
| Triticale                        | 99          | 99          |
| Flax                             | 36          | 35          |
| Canola                           | 95          | 95          |
| Mustard                          | 94          | 94          |
| Sunflowers                       | 0           | 0           |
| Lentils                          | 99          | 99          |
| Peas                             | 100         | 100         |
| Canary seed                      | 59          | 52          |
| Chickpeas                        | 85          | 85          |
| Total                            | 94          | 94          |

The west central region was cool and wet during the past week, with some snow and some frost. An average of 21 mm of precipitation was reported during the past week, ranging from an average low of 13 mm reported in CD 7a, to an average high of 27 mm reported in CD 6b. Over 40 mm was reported in the Hanley and Denzil areas. Damage from frost and flooding was reported across the region. Crop downgrading was reported, including sprouting and bleaching. Piles of grain were sprouting on the top. The wet weather caused some lodging.

West central harvest progress remained at 94% complete. Some harvest progress was made in barley, flax, and canary seed. From the Cando area, it was reported that canola is starting to bloom and peas were re-growing.

Topsoil moisture conditions on cropland got a bit wetter during the past week. Forty-two per cent of reporters rated topsoil moisture as surplus, compared with 38% last week. There is lots of water laying around, particularly in CD 6b. Conditions were similar to last week on hay and pasture land with 24% of reporters rating topsoil moisture as surplus compared to 23% last week.

Pasture conditions in the west central region have improved since late August, with 61% of reporters rating pastures as good to excellent, compared to 37% at the end of August.

Livestock water availability has also improved, with all reporters indicating 100% adequate.

There was some crop damage caused by ducks and geese in the Conquest and Tramping Lake areas.

Farmers did some fencing.

#### **North eastern Saskatchewan (Crop Districts 8 & 9ae)**

| North eastern harvesting progress |             |             |
|-----------------------------------|-------------|-------------|
|                                   | % this week | % last week |
| Winter wheat                      | 100         | 100         |
| Spring wheat                      | 90          | 90          |
| Durum                             | 97          | 97          |
| Oats                              | 78          | 77          |
| Barley                            | 89          | 88          |
| Fall rye                          | 100         | 100         |
| Triticale                         | n/a         | n/a         |
| Flax                              | 31          | 29          |
| Canola                            | 84          | 84          |
| Mustard                           | 99          | 67          |
| Sunflowers                        | n/a         | n/a         |
| Lentils                           | 100         | 100         |
| Peas                              | 99          | 99          |
| Canary seed                       | 63          | 46          |
| Chickpeas                         | n/a         | n/a         |
| Total                             | 85          | 85          |

The north eastern region was cloudy and cool last week. An average of 20 mm of precipitation was reported during the past week, ranging from an average low of 6 mm reported in CD 9ae, to an average high of 22 mm reported in CD 8b. Over 50 mm was reported in the Pleasantdale area. Crop damage from flooding and frost were reported across the region.

The overall harvesting progress number remained at 85% complete for the northeast. Some harvesting progress was made in oat, barley, flax, mustard, and canary seed crops.

Topsoil moisture conditions on cropland got wetter, with 95% of reporters rating topsoil moisture as surplus, compared to 86% last week. Tractors were getting stuck on summerfallow fields. Many fields have standing water. Conditions were also wetter on hay and pasture land with 90% of reporters rating topsoil moisture as surplus, compared with 81% last week. Some livestock owners pulled stock out of pastures because they were too wet.

Pasture conditions in the northeast region are better than late August, with 67% of reporters rating pastures as good to excellent, compared to 47% at the end of August.

Livestock water availability is the same as late August, with all reporters rating water supplies as adequate.

Crop damage came from migrating birds and wild game. Some piles of grain were starting to heat, so farmers started grain dryers.

Farmers did some desiccating last week.

#### **North western Saskatchewan (Crop Districts 9aw & 9b)**

The north western region was cool and cloudy with more showers and some frost during the past week. An average of 22 mm of precipitation was reported during the past week, with an average high of 25 mm reported in CD 9aw. Over 75 mm was reported in the Meadow Lake

area. Some folks were happy to see the moisture, while others find themselves with saturated fields. Swaths are lying in water in low spots. Damage from flooding and frost was reported across the region. Crops will be downgraded from bleaching, staining, and sprouting.

| North western harvesting progress |             |             |
|-----------------------------------|-------------|-------------|
|                                   | % this week | % last week |
| Winter wheat                      | 100         | 100         |
| Spring wheat                      | 89          | 88          |
| Durum                             | 85          | 85          |
| Oats                              | 76          | 69          |
| Barley                            | 88          | 79          |
| Fall rye                          | 100         | 100         |
| Triticale                         | 97          | 97          |
| Flax                              | 21          | 12          |
| Canola                            | 86          | 84          |
| Mustard                           | 80          | 40          |
| Sunflowers                        | n/a         | n/a         |
| Lentils                           | 95          | 95          |
| Peas                              | 99          | 99          |
| Canary seed                       | n/a         | 50          |
| Chickpeas                         | n/a         | n/a         |
| <b>Total</b>                      | <b>87</b>   | <b>84</b>   |

Eighty-seven per cent of the 2006 north western crop has been harvested and a further 11% is lying in the swath or is ready to be

straight-combined. Harvesting progress was made in spring wheat, oats, barley, flax, canola, and mustard.

Topsoil moisture conditions on cropland got wetter during the past week, with 42% of reporters rating topsoil moisture as surplus, compared with 30% last week. Conditions also got wetter on hay and pasture land with 13% of reporters rating topsoil moisture as surplus compared to 10% last week.

Pasture conditions in the northwest region are poorer than they were in late August, with 46% of reporters rating pastures as good to excellent, compared with 58% a month ago.

Geese were causing crop damage in the northwest. Some grain was heating in bins in the Debden area.

Cattle are being moved onto stubble fields. There is heavy weed growth in fields. Farmers did some fence fixing.

| Saskatchewan Harvest Progress by Crop District at Sept 25, 2006 (total of all crops) |            |          |
|--------------------------------------------------------------------------------------|------------|----------|
| Crop District                                                                        | % Combined | % Other  |
| 1a                                                                                   | 98         | 0        |
| 1b                                                                                   | 94         | 0        |
| 2a                                                                                   | 96         | 0        |
| 2b                                                                                   | 95         | 0        |
| 3ase                                                                                 | 98         | 1        |
| 3asw                                                                                 | 97         | 1        |
| 3an                                                                                  | 95         | 0        |
| 3bs                                                                                  | 98         | 1        |
| 3bn                                                                                  | 91         | 6        |
| 4a                                                                                   | 99         | 1        |
| 4b                                                                                   | 98         | 2        |
| <b>South</b>                                                                         | <b>96</b>  | <b>1</b> |
| 5a                                                                                   | 90         | 0        |
| 5b                                                                                   | 84         | 0        |
| 6a                                                                                   | 88         | 0        |
| 6b                                                                                   | 93         | 0        |
| 7a                                                                                   | 86         | 8        |
| 7b                                                                                   | 95         | 1        |
| <b>Central</b>                                                                       | <b>89</b>  | <b>1</b> |
| 8a                                                                                   | 89         | 0        |
| 8b                                                                                   | 86         | 0        |
| 9ae                                                                                  | 73         | 0        |
| 9aw                                                                                  | 82         | 0        |
| 9b                                                                                   | 90         | 2        |
| <b>North</b>                                                                         | <b>86</b>  | <b>0</b> |
| <b>SK</b>                                                                            | <b>91</b>  | <b>1</b> |

# Weekly Rainfall Summary

(in millimeters)

for the week ending September 23, 2006

| Crop Municipality      | Past | Since   | Crop Municipality    | Past | Since   | Crop Municipality     | Past | Since   |
|------------------------|------|---------|----------------------|------|---------|-----------------------|------|---------|
| Dist. No. Name         | Week | April 1 | Dist. No. Name       | Week | April 1 | Dist. No. Name        | Week | April 1 |
| 1A 1 Argyle            | 24   | 190     | 136 Coulee           | 22   | 318     | 344 Corman Park       | 22   | 335     |
| 2 Mount Pleasant       | 5    | 235     | 138 Webb             | 15   | 298     | 376 A Eagle Creek     | 29   | 415     |
| 3 B Enniskillen        | 26   | 221     | 165 Morse            | 25   | 312     | 376 B Eagle Creek     | 36   | 392     |
| 33 A Moose Creek       | 29   | 184     | 166 Excelsior        | 2    | 260     | 404 Laird             | 30   | 395     |
| 35 Benson              | 21   | 234     | 167 Sask. Landing    | 23   | 290     | 7A 259 Snipe Lake     | 10   | 228     |
| 63 A Moose Mountain    | 37   | 266     | 225 Canaan           | 16   | 268     | 287 St. Andrews       | 2    | 206     |
| 63 B Moose Mountain    | 20   | 266     | 226 Victory          | 11   | 262     | 292 Milton            | 9    | 286     |
| 64 Brock               | 20   | 259     | 228 A Lacadena       | 12   | 249     | 317 B Marriott        | 10   | 318     |
| 92 Walpole             | 23   | 236     | 228 B Lacadena       | 23   | 313     | 317 C Marriott        | 10   | 307     |
| 92 B Walpole           | 28   | 261     | 255 Coteau           | 18   | 417     | 318 A Mountain View   | 15   | 346     |
| 93 Wawken              | 30   | 270     | 4A 49 B White Valley | 3    | 185     | 318 B Mountain View   | 29   | 350     |
| 95 Golden West         | 19   | 266     | 79 Arlington         | 14   | 163     | 320 Oakdale           | 21   | 282     |
| 123 Silverwood         | 34   | 326     | 109 Carmichael       | 48   | 245     | 321 Prairiedale       | 14   | 486     |
| 124 Kingsley           | 32   | 288     | 110 Piapot           | 33   | 195     | 7B 347 A Biggar       | 13   | 366     |
| 125 Chester            | NIL  | 248     | 111 A Maple Creek    | 11   | 173     | 347 B Biggar          | 16   | 282     |
| 151 B Rocanville       | 41   | 490     | 111 B Maple Creek    | 30   | 197     | 350 A Mariposa        | 14   | 229     |
| 153 Willowdale         | 33   | 273*    | 4B 139 Gull Lake     | 14   | 208     | 350 B Mariposa        | 18   | 288     |
| 155 Wolseley           | 19   | 310     | 141 Big Stick        | 13   | 191     | 351 Progress          | 24   | 320     |
| 2A 36 Cymri            | 21   | 322     | 169 Pittville        | 11   | 163     | 352 Heart's Hill      | 24   | 310     |
| 66 Griffin             | 19   | 234*    | 231 Happyland        | 8    | 239     | 378 A Rosemount       | 19   | 326     |
| 67 Weyburn             | 18   | 230     | 232 Deer Forks       | 18   | 238     | 378 B Rosemount       | 16   | 272     |
| 68 Brokenshell         | 19   | 237     | 5A 183 Fertile Belt  | 39   | 358     | 379 Reford            | 21   | 319     |
| 69 Norton              | 9    | 270     | 185 Mcleod           | 8    | 236     | 380 Tramping Lake     | 20   | 242     |
| 96 Fillmore            | 12   | 275     | 186 Abernethy        | 11   | 269     | 381 Grass Lake        | 29   | 342     |
| 97 Wellington          | 10   | 299     | 187 North Qu'appelle | NIL  | 244     | 382 Eye Hill          | 45   | 435     |
| 99 Caledonia           | 42   | 278     | 211 Churchbridge     | 5    | 303     | 409 Buffalo           | 15   | 298     |
| 2B 126 Montmartre      | 15   | 270     | 213 Salcoats         | 16   | 277     | 410 Round Valley      | 32   | 310     |
| 127 Francis            | 21   | 266     | 216 Tullymet         | 4    | 398     | 8A 395 Porcupine      | 6    | 500     |
| 129 Bratt's Lake       | 31   | 242     | 217 B Lipton         | 15   | 293     | 397 Barrier Valley    | 5    | 527     |
| 131 Baildon            | 25   | 340     | 243 Wallace          | 17   | 299     | 398 Pleasantdale      | 58   | 471     |
| 156 A Indian Head      | 17   | 293     | 245 A Garry          | 26   | 321     | 456 Arborfield        | 17   | 479     |
| 156 B Indian Head      | 21   | 296     | 245 B Garry          | 17   | 408     | 457 A Connaught       | 34   | 574     |
| 157 South Qu'appelle   | 22   | 270     | 246 Ituna Bon Accord | 7    | 349     | 457 B Connaught       | 9    | 435     |
| 158 Edenwold           | 10   | 231     | 247 Kellross         | 22   | 435     | 458 Willow Creek      | 32   | 428     |
| 160 Pense              | 10   | 288     | 248 Touchwood        | 3    | 303     | 486 Moose Range       | 7    | 345     |
| 161 Moose Jaw          | 54   | 455     | 5B 271 Cote          | 5    | 275     | 487 Nipawin           | 4    | 481     |
| 191 Marquis            | 35   | 348     | 273 Sliding Hills    | 2    | 268     | 8B 369 St. Peter      | 23   | 605     |
| 3ASE 9 Surprise Valley | 18   | 312     | 276 Foam Lake        | 17   | 408     | 370 Humboldt          | 21   | 420     |
| 38 A Laurier           | 16   | 285     | 277 Emerald          | 32   | 384     | 371 Bayne             | 7    | 418     |
| 38 B Laurier           | 17   | 245     | 304 Buchanan         | 5    | 329     | 372 Grant             | 28   | 389     |
| 39 A The Gap           | 12   | 225     | 307 Elfros           | 12   | 461     | 373 Aberdeen          | 36   | 386     |
| 39 B The Gap           | 8    | 219     | 308 Big Quill        | 18   | 287     | 402 Fish Creek        | 26   | 423     |
| 3ASW 10 Happy Valley   | 13   | 212     | 335 Hazel Dell       | 2    | 391     | 429 A Flett's Springs | 6    | 407     |
| 12 Poplar Valley       | 24   | 196     | 336 Sasman           | 5    | 388     | 429 B Flett's Springs | 28   | 419     |
| 40 Bengough            | 13   | 254     | 337 Lakeview         | 12   | 477     | 430 Invergordon       | 25   | 465     |
| 42 Willow Bunch        | 34   | 239     | 338 Lakeside         | 10   | 433     | 431 St. Louis         | 11   | 487     |
| 43 A Old Post          | 27   | 211     | 366 A Kelvington     | 17   | 388     | 459 Kinistino         | 35   | 391     |
| 43 B Old Post          | 26   | 206     | 366 B Kelvington     | 18   | 460     | 9AE 488 Torch River   | 13   | 421     |
| 44 Waverley            | 16   | 298     | 367 B Ponass Lake    | 10   | 368     | 520 Paddecockwood     | 20   | 493     |
| 71 A Excel             | 11   | 249     | 6A 189 Lumsden       | 41   | 375     | 9AW 405 Great Bend    | 29   | 308     |
| 71 B Excel             | 13   | 279     | 190 B Dufferin       | 26   | 356     | 406 Mayfield          | 21   | 357     |
| 71 C Excel             | 34   | 312     | 190 C Dufferin       | 31   | 307     | 435 Redberry          | 18   | 352     |
| 73 A Stonehenge        | 18   | 299     | 219 C Longlaketon    | 20   | 263     | 436 Douglas           | 17   | 435     |
| 73 B Stonehenge        | 11   | 288     | 220 Mckillop         | 21   | 345     | 436 B Douglas         | 19   | 224*    |
| 3AN 101 B Terrell      | 30   | 246     | 222 Craik            | 15   | 363     | 463 Duck Lake         | 56   | 428     |
| 102 Lake Johnston      | 9    | 249     | 251 Big Arm          | 18   | 270     | 464 Leask             | 36   | 469     |
| 132 Hillsborough       | 23   | 332     | 252 Arm River        | 36   | 298     | 466 Meeting Lake      | 29   | 381     |
| 134 Shamrock           | 22   | 316     | 279 A Mount Hope     | 10   | 316     | 467 Round Hill        | 9    | 414     |
| 164 Chaplin            | 4    | 319     | 279 B Mount Hope     | 8    | 339     | 493 Shellbrook        | 20   | 380     |
| 193 Eyebrow            | 8    | 364     | 280 Wrexford         | 21   | 274     | 494 Canwood           | 26   | 430     |
| 194 Enfield            | 2    | 272     | 282 McCrancey        | 14   | 335     | 496 Spiritwood        | 35   | 386     |
| 3BS 17 A Val Marie     | 19   | 196     | 309 Prairie Rose     | 14   | 386     | 497 Medstead          | 9    | 277     |
| 45 Mankota             | 26   | 266     | 312 Morris           | 22   | 340     | 9B 438 A Battle River | 17   | 346     |
| 46 Glen Mcpherson      | 6    | 205     | 313 Lost River       | 15   | 314     | 438 B Battle River    | 20   | 359     |
| 75 A Pinto Creek       | 8    | 245     | 339 A Leroy          | 52   | 363     | 498 A Parkdale        | 7    | 257     |
| 75 B Pinto Creek       | 26   | 272     | 339 B Leroy          | 14   | 404     | 498 B Parkdale        | 13   | 275     |
| 76 A Auvergne          | 22   | 220     | 340 A Wolverine      | 11   | 413     | 499 Mervin            | 13   | 335     |
| 76 B Auvergne          | 8    | 244     | 340 B Wolverine      | 17   | 451     | 501 A Frenchman Butte | 7    | 248     |
| 77 Wise Creek          | 13   | 167     | 343 Blucher          | 33   | 391     | 501 B Frenchman Butte | 24   | 273     |
| 78 A Grassy Creek      | 15   | 206     | 6B 254 Loreburn      | 7    | 319     | 501 C Frenchman Butte | 3    | 250     |
| 78 B Grassy Creek      | 15   | 153     | 283 Rosedale         | 29   | 320     | 502 Britannia         | 14   | 343     |
| 105 Glenbain           | 22   | 436     | 284 Rudy             | 29   | 370     | 561 Loon Lake         | 14   | 274     |
| 106 Whiska Creek       | 21   | 267     | 285 Fertile Valley   | 35   | 363     | 588 A Meadow Lake     | 78   | 280*    |
| 107 Lac Pelletier      | 38   | 254     | 286 Milden           | 12   | 323     | 588 B Meadow Lake     | 13   | 344     |
| 3BN 135 Lawtonia       | 13   | 343     | 314 Dundurn          | 41   | 428     | 588 C Meadow Lake     | 18   | 338     |



These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

\* incomplete


Municipality No: A, B, C, and D - more than one reporter

# Pasture Conditions September 24, 2006

## Pasture Conditions



# Pasture Conditions September 24, 2006




The map displays the 49 constituencies of Saskatchewan for the 2016 federal election. Each constituency is represented by a grid of numbers. The constituencies are labeled as follows:

- 9B**: Lloydminster
- 9AW**
- 9AE**: Prince Albert
- 8A**: Tisdale
- 8B**
- 7B**
- 6B**: Saskatoon
- 6A**
- 5B**
- 5A**: Yorkton
- 4B**
- 3BN**: Swift Current
- 3AN**
- 2B**: Moose Jaw, Regina
- 1B**
- 4A**
- 3BS**
- 3ASW**
- 3ASE**
- 2A**
- 1A**: Estevan

# Weekly Rainfall

for the week ending September 23, 2006




NOTE: Smoothing techniques used to smooth the transition between zones can affect the values in some areas. This map should be used for regional and local use only.

# Cumulative Rainfall

From: April 1, 2006

To: September 23, 2006



NOTE: Since techniques used to smooth the transition between counties can affect the values in some sections, this map should be used for regional analysis only.




Saskatchewan

Map of Saskatchewan - Rainfall (mm) - April 1, 2006 to September 23, 2006

# Crop Land Topsoil Moisture Conditions

September 24, 2006




NOTE: Boundary lines used to show the transition between zones can be quite irregular in some areas. This map should be used for regional analysis only.



# Cumulative Rainfall

From: April 1, 2006

To: September 23, 2006



NOTE: Since rainfall is an accumulative variable,  
the last date reported for a county may be based  
on the date of the last rainfall report for that county.




Saskatchewan

Report Date: September 23, 2006

# Crop Land Topsoil Moisture Conditions

## September 24, 2006



NOTE: Since not all land is used for agricultural purposes, the map shows the moisture conditions for the land that is used for agricultural purposes. The map should be used to help the landowner.




Saskatchewan

1 800 461-4611

Moisture Data - SEP 2006 Report 060906

# Hay and Pasture Topsoil Moisture Conditions

## September 24, 2006




NOTE: Since techniques used to smooth the transition between zones can affect the values in some areas, this map should be used for regional analysis only.



# Pasture Conditions

September 24, 2006



NOTE: Since techniques used to smooth the variation between zones can affect the values in some areas, this map should be used for regional analysis only.



Saskatchewan

100 200 300

400

500


600

700

Pasture Data - Saskatchewan Report Database

# Hay and Pasture Topsoil Moisture Conditions

September 24, 2006



NOTE: Since rainfall was not recorded in the province,  
the best approximation of rainfall was used to determine  
the moisture conditions for the hay and pasture.




Saskatchewan

Source: Agriculture and Agri-Food Canada, Saskatchewan

Map prepared by the Saskatchewan Ministry of Agriculture

# Pasture Conditions

September 24, 2006



1:750,000 scale map, as of September 24, 2006  
 Data provided by the Saskatchewan Ministry of Agriculture  
 The information is for informational purposes only.




Saskatchewan

Report to the Minister of Agriculture

# Availability of Livestock Water


September 24, 2006



## for the week ending September 23, 2006



September 24, 2006




## for the week ending September 23, 2006



# Crop Damage - Frost

for the week ending September 23, 2006



Damage Reported No Damage Reported No Data




Saskatchewan

2006-09-23 10:00:00 -0500

# Crop Damage - Other

for the week ending September 23, 2006



Damage Reported
  No Damage Reported
  No Data



## for the week ending September 23, 2006



## for the week ending September 23, 2006



